

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **RACING FORK OIL 2,5W**

1.2 Relevant identified uses of the substance or mixture and uses advised against
No further relevant information available.

Application of the substance / the mixture

Only for proper handling.
Fork oil

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

MOTOREX AG
Bern-Zürich-Strasse 31, Postfach
CH-4901 Langenthal
Tel. +41 (0)62 919 75 75
www.motorex.com

Further information obtainable from: msds@motorex.com

1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS08

Signal word *Danger*

Hazard-determining components of labelling:

Distillates (petroleum), hydrotreated light naphthenic
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
Distillates (petroleum), hydrotreated middle

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 2)

Safety data sheet

according to UK REACH



Printing date 30.09.2025

Version number 2.3 (replaces version 2.2)

Revision: 30.09.2025

Trade name: RACING FORK OIL 2,5W

(Contd. of page 1)

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances

· **Dangerous components:**

| | | |
|---|---|-------------|
| CAS: 64742-53-6 EINECS: 265-156-6 Index number: 649-466-00-2 Reg.nr.: 01-2119480375-34 | Distillates (petroleum), hydrotreated light naphthenic Asp. Tox. 1, H304 | 70-90% |
| CAS: 72623-87-1 EINECS: 276-738-4 Index number: 649-483-00-5 Reg.nr.: 01-2119474889-13 | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Asp. Tox. 1, H304 | ≥2.5-≤7.5% |
| CAS: 64742-46-7 EINECS: 265-148-2 Index number: 649-221-00-X Reg.nr.: 01-2119489867-12 | Distillates (petroleum), hydrotreated middle Asp. Tox. 1, H304 | ≥0.25-≤2.5% |

· **Additional information:**

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346.
For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Remove residues with soap and water.

Remove contaminated clothing immediately.

· **After eye contact:**

Rinse opened eye for several minutes under running water.

Consult a physician if irritation develops.

· **After swallowing:**

Do not induce vomiting. Do not take in resorption stimulating agents.

Consult a physician who will decide on need and method of emptying the stomach.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

In case of fire carbon, sulphur and nitrogen oxides can be formed.

· 5.3 Advice for firefighters

· **Protective equipment:** No special measures required.

GB

(Contd. on page 3)

Safety data sheet

according to UK REACH



Printing date 30.09.2025

Version number 2.3 (replaces version 2.2)

Revision: 30.09.2025

Trade name: RACING FORK OIL 2,5W

(Contd. of page 2)

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
- **6.4 Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Used oils (motor oils, gear oils, industrial oils) contain components causing skin cancer. Therefore, avoid skin contact by wearing protecting gloves. Carefully clean soiled parts of the skin with soap.
- **Information about fire - and explosion protection:** Do not heat above flash point.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
The recommended storage temperature is (deg.C): ≤50°C
Store containers closed and protect against rain, dust, heat and other atmospheric influences.
Keep container tightly sealed.
- **Storage class:** 10
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

| 64742-53-6 Distillates (petroleum), hydrotreated light naphthenic | | |
|--|---|--------------------------|
| Inhalative | DNEL / Workers / Local Effects / Long-term | 5.4 mg/m3 (worker) |
| 72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | | |
| Inhalative | DNEL / Workers / Local Effects / Long-term | 5.4 mg/m3/8h (worker) |
| | DNEL/general population/Local effects/Long-term | 1.2 mg/m3/24h (consumer) |
| 64742-46-7 Distillates (petroleum), hydrotreated middle | | |
| Dermal | DNEL / Workers / Systemic effects / Long-term | 2.9 mg/kg/24h (worker) |
| Inhalative | DNEL / Workers / Systemic effects / Long-term | 16 mg/m3 (worker) |

- **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.

(Contd. on page 4)

Trade name: RACING FORK OIL 2,5W

(Contd. of page 3)

- Do not inhale gases / fumes / aerosols.
- **Respiratory protection:** Not required.
- **Hand protection**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection** Goggles recommended during refilling
- **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Liquid
- **Colour:** Red
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Undetermined.
- **Boiling point or initial boiling point and boiling range** Undetermined.
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** 120 °C
- **Auto-ignition temperature:** >270 °C (DIN 51794)
- **Decomposition temperature:** Not determined.
- **pH** Not determined.
- **Viscosity:**
- **Kinematic viscosity** 14.5 mm²/s @ 40 °C
- **Consistency**
- **Dynamic:** Not determined.
- **Solubility**
- **water:** Not miscible or difficult to mix.
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Heat Capacity**
- **Vapour pressure:** Not determined.
- **Density and/or relative density**
- **Density at 20 °C:** 0.881 g/cm³ (ASTM D 4052)
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **9.2 Other information**
- **Appearance:**
- **Form:** Fluid

(Contd. on page 5)

Safety data sheet

according to UK REACH



Printing date 30.09.2025

Version number 2.3 (replaces version 2.2)

Revision: 30.09.2025

Trade name: RACING FORK OIL 2,5W

(Contd. of page 4)

- **Important information on protection of health and environment, and on safety.**
 - **Explosive properties:** Product does not present an explosion hazard.
 - **Solvent separation test:**
 - **VOC (EC)** 0.05 %
 - **Change in condition**
 - **Evaporation rate** Not determined.
-
- **Information with regard to physical hazard classes**
 - **Explosives** Void
 - **Flammable gases** Void
 - **Aerosols** Void
 - **Oxidising gases** Void
 - **Gases under pressure** Void
 - **Flammable liquids** Void
 - **Flammable solids** Void
 - **Self-reactive substances and mixtures** Void
 - **Pyrophoric liquids** Void
 - **Pyrophoric solids** Void
 - **Self-heating substances and mixtures** Void
 - **Substances and mixtures, which emit flammable gases in contact with water** Void
 - **Oxidising liquids** Void
 - **Oxidising solids** Void
 - **Organic peroxides** Void
 - **Corrosive to metals** Void
 - **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic

| | | |
|--------|-------|----------------------------|
| Oral | LD50 | 5,000 mg/kg (rat) |
| | LOAEL | 125 mg/kg/24h (rat) |
| Dermal | LD50 | 2,000-5,000 mg/kg (rabbit) |
| | NOEL | 30-2,000 mg/kg/24h (rat) |
| | NOAEL | 150 mg/kg/24h (mouse) |
| | LOAEL | 1,000 mg/kg/24h (rabbit) |
| | LOAEL | 100 mg/kg/24h (mouse) |

(Contd. on page 6)

Safety data sheet

according to UK REACH



Printing date 30.09.2025

Version number 2.3 (replaces version 2.2)

Revision: 30.09.2025

Trade name: RACING FORK OIL 2,5W

(Contd. of page 5)

| | | |
|--|-----------|-----------------------------------|
| Inhalative | LC50 / 4h | 2.18-5.53 mg/l (rat) |
| | NOEL | 220 mg/m ³ (rat) |
| | NOAEL | 980 mg/m ³ (rat) |
| 72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | | |
| Oral | LD50 | 5,000 mg/kg (rat) |
| | LOAEL | 125 mg/kg/24h (rat) |
| Dermal | LD50 | 2,000-5,000 mg/kg (rabbit) |
| | NOAEL | 150 mg/kg/24h (mouse) |
| | | 30-2,000 mg/kg/24h (rat) |
| Inhalative | LOAEL | 1,000 mg/kg/24h (rabbit) |
| | LOAEL | 100 mg/kg/24h (mouse) |
| | LC50 / 4h | 2.18-5.53 mg/l (rat) |
| | NOAEC | 980 mg/m ³ (rat) |
| | NOEC | 220 mg/m ³ (rat) |
| 64742-46-7 Distillates (petroleum), hydrotreated middle | | |
| Oral | LD50 | 5,000 mg/kg (rat) |
| Dermal | LD50 | 2,000 mg/kg (rabbit) |
| | NOAEL | 25-125 mg/kg/24h (rat) |
| | | 1,000 mg/kg/24h (rabbit) |
| Inhalative | LOAEL | 30 mg/kg/24h (rat) |
| | LC50 / 4h | 1.72-4.6 mg/l (rat) |
| | NOAEC | 880-1,710 mg/m ³ (rat) |
| | LOEL | 23-24 mg/m ³ (rat) |

- **Aspiration hazard** May be fatal if swallowed and enters airways.

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

556-67-2 | octamethylcyclotetrasiloxane

List II

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic

| | |
|------|---|
| LL50 | 10,000 mg/l/96h (aquatic invertebrates) |
| | 100 mg/l/96h (fish) |
| LL50 | 10,000 mg/l/72h (aquatic invertebrates) |
| LL50 | 10,000 mg/l/48h (aquatic invertebrates) |
| LL50 | 10,000 mg/l/24h (aquatic invertebrates) |
| EL50 | 10,000 mg/l/48h (aquatic invertebrates) |

72623-87-1 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

| | |
|------|---|
| LL50 | 10,000 mg/l/96h (aquatic invertebrates) |
| | 100 mg/l/96h (fish) |
| LL50 | 10,000 mg/l/72h (aquatic invertebrates) |
| LL50 | 10,000 mg/l/48h (aquatic invertebrates) |
| LL50 | 10,000 mg/l/24h (aquatic invertebrates) |
| EL50 | 10,000 mg/l/48h (aquatic invertebrates) |

(Contd. on page 7)

Safety data sheet according to UK REACH



Printing date 30.09.2025

Version number 2.3 (replaces version 2.2)

Revision: 30.09.2025

Trade name: RACING FORK OIL 2,5W

(Contd. of page 6)

64742-46-7 Distillates (petroleum), hydrotreated middle

| | |
|------|--|
| LL50 | 1.13-65 mg/l/96h (fish) |
| LL50 | 21-150 mg/l/72h (fish) |
| LL50 | 28-180 mg/l/48h (fish) |
| LL50 | 100-1,000 mg/l/24h (fish) |
| EL50 | 7.385-210 mg/l/48h (aquatic invertebrates) |
| EL50 | 180-1,000 mg/l/24h (aquatic invertebrates) |
| EL50 | 1.714-22 mg/l/72h (algae / cyanobacteria) |

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential**

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic

| | |
|-----------------------|---------------------------------------|
| Partition coefficient | 2-6 [---] (log Kow) (Bioaccumulation) |
|-----------------------|---------------------------------------|

64742-46-7 Distillates (petroleum), hydrotreated middle

| | |
|------------------|--|
| Biodegradability | 74 % (28d) (Biodegradability) (OECD 306) |
|------------------|--|

- **12.4 Mobility in soil** No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

- **12.7 Other adverse effects**

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN number or ID number**

- **ADR/RID/ADN, ADN, IMDG, IATA**

Not classified as hazardous for transport

- **14.2 UN proper shipping name**

- **ADR/RID/ADN, ADN, IMDG, IATA**

Not classified as hazardous for transport

- **14.3 Transport hazard class(es)**

- **ADR/RID/ADN, ADN, IMDG, IATA**

- **Class**

Not classified as hazardous for transport

(Contd. on page 8)

Safety data sheet according to UK REACH



Printing date 30.09.2025

Version number 2.3 (replaces version 2.2)

Revision: 30.09.2025

Trade name: RACING FORK OIL 2,5W

(Contd. of page 7)

- | | |
|---|---|
| · 14.4 Packing group · ADR/RID/ADN, IMDG, IATA | Not classified as hazardous for transport |
| · 14.5 Environmental hazards: · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |
| · UN "Model Regulation": | Not classified as hazardous for transport |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors**

None of the ingredients is listed.

- **Regulated poisons**

None of the ingredients is listed.

- **Reportable explosives precursors**

None of the ingredients is listed.

- **Reportable poisons**

None of the ingredients is listed.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- **purity requirement**

- **Relevant phrases**

H304 May be fatal if swallowed and enters airways.

- **Department issuing SDS:** Abteilung Produktsicherheit

- **Abbreviations and acronyms:**

Asp. Tox. 1: Aspiration hazard – Category 1

- *** Data compared to the previous version altered.**

Annex: Exposure scenario 1

- **Short title of the exposure scenario**

Industrial use of lubricants and greases in vehicles or machinery

- **Sector of Use**

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

(Contd. on page 9)

Trade name: RACING FORK OIL 2,5W

(Contd. of page 8)

- **Product category**
 - PC16 Heat transfer fluids
 - PC17 Hydraulic fluids
 - PC24 Lubricants, greases, release products
- **Process category**
 - PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
 - PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
 - PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
 - PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
- **Environmental release category**
 - ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
 - ERC7 Use of functional fluid at industrial site
- **Description of the activities / processes covered in the Exposure Scenario**
 - See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
 - Duration and frequency 5 workdays/week.
- **Physical parameters**
 - Physical state Fluid
 - Concentration of the substance in the mixture The substance is main component.
- **Other operational conditions**
 - Other operational conditions affecting environmental exposure No special measures required.
 - Other operational conditions affecting consumer exposure Not required.
 - Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- **Risk management measures**
 - Worker protection
 - Organisational protective measures No special measures required.
 - Technical protective measures No special measures required.
 - Personal protective measures No special measures required.
 - Measures for consumer protection No special measures required.
 - Environmental protection measures
 - Air No special measures required.
 - Water No special measures required.
 - Disposal measures
 - Disposal must be made according to official regulations.
 - Ensure that waste is collected and contained.
 - Disposal procedures Dispose of product residues with household waste.
 - Waste type Partially emptied and uncleaned packaging
- **Exposure estimation**
 - Consumer Not relevant for this Exposure Scenario.
 - Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 2

- **Short title of the exposure scenario**
 - Professional use of lubricants and greases in vehicles or machines
- **Sector of Use**
 - SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category**
 - PC16 Heat transfer fluids
 - PC17 Hydraulic fluids
 - PC24 Lubricants, greases, release products

(Contd. on page 10)

Trade name: RACING FORK OIL 2,5W

(Contd. of page 9)

- **Process category**
 - PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
 - PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
 - PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
 - PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
 - PROC20 Use of functional fluids in small devices
- **Environmental release category**
 - ERC9a Widespread use of functional fluid (indoor)
 - ERC9b Widespread use of functional fluid (outdoor)
- **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
 - **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** The substance is main component.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting consumer exposure** Not required.
- **Other operational conditions affecting consumer exposure during the use of the product**
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** No special measures required.
- **Personal protective measures** No special measures required.
- **Measures for consumer protection** No special measures required.
- **Environmental protection measures**
- **Air** No special measures required.
- **Water** No special measures required.
- **Disposal measures**
Disposal must be made according to official regulations.
Ensure that waste is collected and contained.
- **Disposal procedures** Dispose of product residues with household waste.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.

Annex: Exposure scenario 3

- **Short title of the exposure scenario** Private use of lubricants and greases in vehicles or machines
- **Sector of Use** SU21 Consumer uses: Private households / general public / consumers
- **Product category** PC24 Lubricants, greases, release products
- **Environmental release category**
 - ERC9a Widespread use of functional fluid (indoor)
 - ERC9b Widespread use of functional fluid (outdoor)
- **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
 - **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** The substance is main component.

(Contd. on page 11)

Safety data sheet
according to UK REACH

Printing date 30.09.2025

Version number 2.3 (replaces version 2.2)

Revision: 30.09.2025

Trade name: RACING FORK OIL 2,5W

(Contd. of page 10)

- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting consumer exposure** Not required.
- **Other operational conditions affecting consumer exposure during the use of the product** Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** No special measures required.
- **Personal protective measures** No special measures required.
- **Measures for consumer protection** No special measures required.
- **Environmental protection measures**
- **Air** No special measures required.
- **Water** No special measures required.
- **Disposal measures**
Disposal must be made according to official regulations.
Ensure that waste is collected and contained.
- **Disposal procedures** Dispose of product residues with household waste.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.

GB